

Local Worker Hiring Performance by PLA Covered Active Project - July 31, 2025

| Total % Local Workers Key |                        |  |
|---------------------------|------------------------|--|
| Yellow                    | Between 20% - 35% goal |  |
| Green                     | Between 35% - 50% goal |  |
| Red                       | Not meeting 35% goal   |  |

| Rank | Campus                   | Project Name  | Prime Contractor  | Contract Provisions | Contract Number  | Local Workers % | Veterans                     |                     |                     |              | Local to College |                           |            |                       | Local to District |              |               |                           |            |                       | Local to LA County |                    | Local to LA County + OC |                    |                    |
|------|--------------------------|---|---|---------------------|------------------|-----------------|------------------------------|---------------------|---------------------|--------------|------------------|---------------------------|------------|-----------------------|-------------------|--------------|---------------|---------------------------|------------|-----------------------|--------------------|--------------------|-------------------------|--------------------|--------------------|
|      |                          |   |   |                     |                  |                 | Total # of Workers on Campus | Total # of Veterans | Total % of Veterans | # of Workers | # of Veterans    | # of Transitional Workers | Veterans % | Transitional Worker % | Local Worker %    | # of Workers | # of Veterans | # of Transitional Workers | Veterans % | Transitional Worker % | Local Workers %    | Total # of Workers | % of Project Total      | Total # of Workers | % of Project Total |
| 1    | East Los Angeles College | East - TM D1 Parking Structure  | Valle Grande Construction   | 35%                 | 1989-0385        | 73.00%          | 19                           | 0                   | 0.00%               | 3            | 0                | 0                         | 0.00%      | 0.00%                 | 15.79%            | 14           | 0             | 0                         | 0.00%      | 0.00%                 | 73.00%             | 18                 | 94.74%                  | 19                 | 100.00%            |
| 2    | East Los Angeles College | East - Southeast Campus Swing Space   | Omega Construction Co. Inc.                                       | 35%                 | 1984-0884        | 56.91%          | 45                           | 0                   | 0.00%               | 8            | 0                | 0                         | 0.00%      | 0.00%                 | 17.78%            | 30           | 0             | 0                         | 0.00%      | 0.00%                 | 56.91%             | 38                 | 84.44%                  | 40                 | 88.89%             |
| 3    | West Los Angeles College | West LA College - TM - Athletic Building C-1  | Rayco Electrical Contractor, Inc.<br>dla Ray vs Engineering Corp. | 35%                 | 1531-0892        | 56.96%          | 54                           | 0                   | 0.00%               | 3            | 0                | 0                         | 0.00%      | 0.00%                 | 5.56%             | 32           | 0             | 3                         | 0.00%      | 5.56%                 | 56.96%             | 43                 | 79.63%                  | 44                 | 81.46%             |
| 4    | Los Angeles Trade Tech   | Trade - Theater Demolition, New Exterior North Hall - Magnolia Hall, and Hardscapes/Landscapes - North Side of Magnolia Hall Projects | Sanetion Builders   | 35%                 | 34223            | 55.72%          | 201                          | 0                   | 0.00%               | 16           | 0                | 0                         | 0.00%      | 0.00%                 | 7.96%             | 112          | 0             | 2                         | 0.00%      | 1.00%                 | 55.72%             | 161                | 80.10%                  | 177                | 88.08%             |
| 5    | West Los Angeles College | West LA College - TM - Freshman Drive Path of Travel  | Rayco Electrical Contractor, Inc.<br>dla Ray vs Engineering Corp. | 35%                 | 1531-0892        | 54.91%          | 104                          | 0                   | 0.00%               | 7            | 0                | 0                         | 0.00%      | 0.00%                 | 6.73%             | 57           | 0             | 3                         | 0.00%      | 2.86%                 | 54.91%             | 97                 | 93.21%                  | 98                 | 94.23%             |
| 6    | City College             | City - Chemistry Swing Space Fire Lane  | GMZ Engineering, Inc.   | 35%                 | LACC-1862-010-A0 | 56.24%          | 39                           | 0                   | 0.00%               | 2            | 0                | 0                         | 0.00%      | 0.00%                 | 5.39%             | 32           | 0             | 5                         | 0.00%      | 8.47%                 | 56.24%             | 45                 | 76.27%                  | 46                 | 79.27%             |
| 7    | Pierce College           | Pierce College - TM Campus Wide Improvements - Arts Complex, Stadium, Administration/Bookstore, and Avenue of Champions               | Atsom Group   | 35%                 | 34075            | 56.92%          | 211                          | 0                   | 0.00%               | 17           | 0                | 0                         | 0.00%      | 0.00%                 | 8.06%             | 114          | 0             | 4                         | 0.00%      | 1.90%                 | 56.92%             | 179                | 84.93%                  | 186                | 88.15%             |
| 8    | Southwest College        | Southwest College - Campus Wide Water Upgrades  | GMZ Engineering, Inc.   | 35%                 | 1442-1952        | 53.55%          | 30                           | 0                   | 0.00%               | 1            | 0                | 0                         | 0.00%      | 0.00%                 | 3.33%             | 16           | 0             | 8                         | 0.00%      | 26.67%                | 53.55%             | 22                 | 73.33%                  | 24                 | 80.00%             |
| 9    | West Los Angeles College | West - TM - Physical Education Complex - Bleacher Replacement   | TIS, Inc.   | 35%                 | 1452-0164        | 55.56%          | 30                           | 0                   | 0.00%               | 0            | 0                | 0                         | 0.00%      | 0.00%                 | 0.00%             | 16           | 0             | 0                         | 0.00%      | 0.00%                 | 55.56%             | 24                 | 80.00%                  | 25                 | 83.33%             |
| 10   | Pierce College           | Pierce College - Fire Alarm Systems Upgrades for Bldg. 1300 1400 & Fire Alarm & HVAC Systems Upgrades for Bldg. 1500 Projects         | World Wide Construction   | 35%                 | 1453-1592        | 51.30%          | 72                           | 0                   | 0.00%               | 6            | 0                | 0                         | 0.00%      | 0.00%                 | 8.33%             | 37           | 0             | 0                         | 0.00%      | 0.00%                 | 51.30%             | 58                 | 80.56%                  | 60                 | 83.33%             |
| 11   | West Los Angeles College | West LA College - TM - Parking Lot 5  | Rayco Electrical Contractor, Inc.<br>dla Ray vs Engineering Corp. | 35%                 | 1531-0892        | 50.91%          | 26                           | 0                   | 0.00%               | 0            | 0                | 0                         | 0.00%      | 0.00%                 | 0.00%             | 26           | 0             | 2                         | 0.00%      | 3.84%                 | 50.91%             | 46                 | 83.64%                  | 48                 | 88.00%             |
| 12   | Los Angeles Trade Tech   | Trade - Misc Improvements - B1 School of Advanced Trade & MFG - Water Leak Repairs  | Arise Construction Development Inc.                               | 35%                 | 1522-0873        | 50.90%          | 48                           | 0                   | 0.00%               | 5            | 0                | 0                         | 0.00%      | 0.00%                 | 10.42%            | 24           | 0             | 0                         | 0.00%      | 0.00%                 | 50.90%             | 37                 | 77.08%                  | 40                 | 81.67%             |
| 13   | West Los Angeles College | West LA College - Fine Arts Building Renovation Project   | Masters Contracting Corp.   | 35%                 | 34124            | 56.96%          | 182                          | 0                   | 0.00%               | 5            | 0                | 0                         | 0.00%      | 0.00%                 | 2.60%             | 94           | 0             | 3                         | 0.00%      | 1.58%                 | 56.96%             | 162                | 84.36%                  | 169                | 88.02%             |
| 14   | West Los Angeles College | West - Soccer Field Storm Water Implementation  | GMZ Engineering, Inc.   | 35%                 | 1442-0545        | 56.96%          | 45                           | 0                   | 0.00%               | 2            | 0                | 0                         | 0.00%      | 0.00%                 | 4.44%             | 22           | 0             | 2                         | 0.00%      | 4.44%                 | 56.96%             | 34                 | 75.56%                  | 35                 | 77.78%             |
| 15   | Pierce College           | Pierce College - Demolition of Old Library Building 1800  | Icon West, Inc.   | 35%                 | 34089            | 56.70%          | 248                          | 0                   | 0.00%               | 20           | 0                | 1                         | 0.00%      | 0.40%                 | 8.06%             | 121          | 0             | 7                         | 0.00%      | 2.82%                 | 56.70%             | 200                | 80.63%                  | 212                | 85.46%             |
| 16   | City College             | City - Storm Water Control Ditch & Control Ditch Improvements   | GMZ Engineering, Inc.   | 35%                 | 34298            | 56.30%          | 87                           | 0                   | 0.00%               | 2            | 0                | 1                         | 0.00%      | 1.13%                 | 2.30%             | 42           | 0             | 8                         | 0.00%      | 9.26%                 | 56.30%             | 60                 | 68.97%                  | 65                 | 74.71%             |
| 17   | City College             | City - Demolition of Old Cafeteria  | Integrated Demolition and Remediation Incorporated                | 35%                 | 34061            | 56.36%          | 29                           | 0                   | 0.00%               | 3            | 0                | 0                         | 0.00%      | 0.00%                 | 10.34%            | 14           | 0             | 0                         | 0.00%      | 0.00%                 | 56.36%             | 20                 | 68.97%                  | 26                 | 89.67%             |
| 18   | Pierce College           | Pierce College - SLE Center for the Sciences Technology Upgrades  | Masters Contracting Corp.   | 35%                 | 1528             | 56.20%          | 114                          | 0                   | 0.00%               | 6            | 0                | 0                         | 0.00%      | 0.00%                 | 5.26%             | 55           | 0             | 5                         | 0.00%      | 4.39%                 | 56.20%             | 87                 | 76.32%                  | 90                 | 78.95%             |
| 19   | Los Angeles Trade Tech   | Trade - Boiler Renovation - Signage   | Atsom Group   | 35%                 | 1941-0275        | 56.00%          | 25                           | 0                   | 0.00%               | 2            | 0                | 0                         | 0.00%      | 0.00%                 | 8.00%             | 12           | 0             | 1                         | 0.00%      | 4.00%                 | 56.00%             | 17                 | 68.00%                  | 24                 | 88.00%             |
| 20   | Pierce College           | Pierce - Industrial Technology Building   | Icon West, Inc.   | 35%                 | 34254            | 57.20%          | 36                           | 0                   | 0.00%               | 1            | 0                | 0                         | 0.00%      | 0.00%                 | 2.78%             | 17           | 0             | 2                         | 0.00%      | 5.56%                 | 57.20%             | 24                 | 66.67%                  | 27                 | 75.00%             |
| 21   | West Los Angeles College | West LA College - TM - Physical Education Complex   | Rayco Electrical Contractor, Inc.<br>dla Ray vs Engineering Corp. | 35%                 | 1531-0792        | 56.76%          | 93                           | 0                   | 0.00%               | 2            | 0                | 0                         | 0.00%      | 0.00%                 | 2.15%             | 42           | 0             | 3                         | 0.00%      | 3.23%                 | 56.76%             | 67                 | 72.04%                  | 68                 | 73.13%             |
| 22   | East Los Angeles College | East - Corporate Center - Floors 1-5  | MIR Construction, Inc.  | 35%                 | 1885-002-A0      | 54.90%          | 25                           | 0                   | 0.00%               | 4            | 0                | 0                         | 0.00%      | 0.00%                 | 16.00%            | 11           | 0             | 0                         | 0.00%      | 0.00%                 | 54.90%             | 23                 | 92.00%                  | 24                 | 96.00%             |
| 23   | West Los Angeles College | West - Baseball Field - Storm Water Implementation Project  | GMZ Engineering, Inc.   | 35%                 | 1442-0893        | 54.70%          | 32                           | 0                   | 0.00%               | 0            | 0                | 0                         | 0.00%      | 0.00%                 | 0.00%             | 14           | 0             | 4                         | 0.00%      | 12.90%                | 54.70%             | 25                 | 78.13%                  | 26                 | 81.25%             |
| 24   | West Los Angeles College | West - Parking Lot 5 - Storm Water Implementation Project   | GMZ Engineering, Inc.   | 35%                 | 1442-0793        | 55.96%          | 87                           | 0                   | 0.00%               | 2            | 0                | 0                         | 0.00%      | 0.00%                 | 2.30%             | 38           | 0             | 4                         | 0.00%      | 4.60%                 | 55.96%             | 58                 | 66.67%                  | 62                 | 71.28%             |
| 25   | Los Angeles Trade Tech   | Trade - Design and Media Arts and Stage Hall Demolition Projects  | Sanetion Builders   | 35%                 | 34222            | 53.96%          | 243                          | 0                   | 0.00%               | 14           | 0                | 0                         | 0.00%      | 0.00%                 | 5.76%             | 196          | 0             | 1                         | 0.00%      | 0.41%                 | 53.96%             | 180                | 76.13%                  | 200                | 82.36%             |
| 26   | Harbor College           | Harbor - Energy Efficiency Utility Infrastructure Tunnel Repairs  | GMZ Engineering, Inc.   | 35%                 | 1442-0214        | 55.46%          | 23                           | 0                   | 0.00%               | 0            | 0                | 0                         | 0.00%      | 0.00%                 | 0.00%             | 10           | 0             | 0                         | 0.00%      | 0.00%                 | 55.46%             | 20                 | 86.96%                  | 20                 | 86.96%             |
| 27   | West Los Angeles College | West LA College - Math and Science Building A Partial Renovation  | PCN3, Inc.  | 35%                 | 1556-1192        | 52.70%          | 131                          | 0                   | 0.00%               | 2            | 0                | 0                         | 0.00%      | 0.00%                 | 1.52%             | 56           | 0             | 0                         | 0.00%      | 0.00%                 | 52.70%             | 90                 | 68.73%                  | 95                 | 73.96%             |
| 28   | Pierce College           | Pierce College - SLE-SCM Classroom Modernization & ADA Improvements   | Icon West, Inc.   | 35%                 | 34082            | 50.90%          | 424                          | 1                   | 0.24%               | 27           | 0                | 0                         | 0.00%      | 0.00%                 | 6.37%             | 173          | 1             | 2                         | 0.24%      | 0.47%                 | 50.90%             | 285                | 67.22%                  | 313                | 73.92%             |
| 29   | Los Angeles Trade Tech   | Trade - Construction Technology Building (CCTB)   | TEST CONTRACTOR 3, Harper Construction                            | 35%                 | 34213            | 50.96%          | 210                          | 0                   | 0.00%               | 16           | 0                | 0                         | 0.00%      | 0.00%                 | 7.62%             | 84           | 0             | 4                         | 0.00%      | 1.90%                 | 50.96%             | 156                | 74.28%                  | 176                | 83.81%             |
| 30   | Harbor College           | Harbor - Campus Perimeter Fencing Improvement   | TIS, Inc.   | 35%                 | 1452-0115        | 49.66%          | 10                           | 0                   | 0.00%               | 2            | 0                | 0                         | 0.00%      | 0.00%                 | 20.00%            | 4            | 0             | 0                         | 0.00%      | 0.00%                 | 49.66%             | 7                  | 70.00%                  | 7                  | 70.00%             |
| 31   | Pierce College           | Pierce - Academic West Building   | Charles Perkins Builders  | 35%                 | 34086            | 59.11%          | 480                          | 0                   | 0.00%               | 23           | 0                | 0                         | 0.00%      | 0.00%                 | 5.11%             | 196          | 0             | 1                         | 0.00%      | 0.23%                 | 59.11%             | 332                | 67.11%                  | 334                | 74.23%             |
| 32   | West Los Angeles College | West LA College - Student Services Building Partial Renovation  | Masters Contracting Corp.   | 35%                 | 1526-1492        | 57.96%          | 187                          | 0                   | 0.00%               | 0            | 0                | 0                         | 0.00%      | 0.00%                 | 0.00%             | 59           | 0             | 3                         | 0.00%      | 1.91%                 | 57.96%             | 116                | 73.80%                  | 123                | 79.82%             |
| 33   | East Los Angeles College | East - Knowledge, Wellness and Athletic Center (KWAC)   | McCarthy Building Companies, Inc.                                 | 35%                 | 34201            | 56.96%          | 11                           | 0                   | 0.00%               | 2            | 0                | 0                         | 0.00%      | 0.00%                 | 16.59%            | 4            | 0             | 0                         | 0.00%      | 0.00%                 | 56.96%             | 7                  | 63.64%                  | 7                  | 63.64%             |
| 34   | City College             | City College - Cesar Chavez Administration & Workforce Replacement Building   | McCarthy Building Companies, Inc.                                 | 35%                 | 34084            | 56.20%          | 127                          | 0                   | 0.00%               | 0            | 0                | 0                         | 0.00%      | 0.00%                 | 0.00%             | 46           | 0             | 0                         | 0.00%      | 0.00%                 | 56.20%             | 72                 | 56.66%                  | 80                 | 70.87%             |
| 35   | East Los Angeles College | East - East Drainage Area Storm Water Implementation  | GMZ Engineering, Inc.   | 35%                 | 1442-0283        | 56.36%          | 170                          | 0                   | 0.00%               | 24           | 0                | 4                         | 0.00%      | 2.35%                 | 14.12%            | 60           | 0             | 9                         | 0.00%      | 5.29%                 | 56.36%             | 103                | 60.50%                  | 120                | 73.89%             |
| 36   | Harbor College           | Harbor - Energy Efficiency/Utility Infrastructure Repairs   | GMZ Engineering, Inc.   | 35%                 | LACC-1862-001-A0 | 54.98%          | 44                           | 0                   | 0.00%               | 1            | 0                | 1                         | 0.00%      | 2.27%                 | 2.27%             | 15           | 0             | 4                         | 0.00%      | 9.09%                 | 54.98%             | 28                 | 63.64%                  | 30                 | 75.00%             |
| 37   | Pierce College           | Pierce College - Academic East Building   | McCarthy Building Companies, Inc.                                 | 35%                 | 34083            | 53.78%          | 527                          | 0                   | 0.00%               | 21           | 0                | 0                         | 0.00%      | 0.00%                 | 3.98%             | 178          | 0             | 0                         | 0.00%      | 0.00%                 | 53.78%             | 318                | 60.34%                  | 379                | 71.92%             |
| 38   | East Los Angeles College | East - Nursing, Allied Health and Public Service Building   | Sanetion Builders   | 35%                 | 34072            | 52.95%          | 88                           | 0                   | 0.00%               | 5            | 0                | 0                         | 0.00%      | 0.00%                 | 5.68%             | 29           | 0             | 0                         | 0.00%      | 0.00%                 | 52.95%             | 51                 | 57.95%                  | 62                 | 74.49%             |
| 39   | Valley College           | Valley - Academic Building #2   | PCL Construction Services, Inc.                                   | 35%                 | 34207            | 52.79%          | 595                          | 0                   | 0.00%               | 21           | 0                | 0                         | 0.00%      | 0.00%                 | 3.78%             | 182          | 0             | 0                         | 0.00%      | 0.00%                 | 52.79%             | 376                | 67.33%                  | 417                | 75.14%             |
| 40   | Pierce College           | Pierce College - Agricultural Education Center  | Rothrig Kemp, Station, Incorporated                               | 35%                 | 34089            | 52.41%          | 830                          | 2                   | 0.24%               | 38           | 0                | 0                         | 0.00%      | 0.00%                 | 4.58%             | 269          | 2             | 11                        | 0.24%      | 1.33%                 | 52.41%             | 468                | 56.36%                  | 566                | 68.19%             |

## Local Worker Hiring Performance by PLA Covered Active Project - July 31, 2025

| Total % Local Workers Key |  |
|---------------------------|--|
| Meets or exceeds 35% goal |  |
| Within 5% of 35% goal     |  |
| Not meeting 35% goal      |  |

|                     |                          |  |  |     |             |        |        |    |       |     |   |    |       |       |        |       |    |     |       |        |        |       |        |       |         |
|---------------------|--------------------------|--|--|-----|-------------|--------|--------|----|-------|-----|---|----|-------|-------|--------|-------|----|-----|-------|--------|--------|-------|--------|-------|---------|
| 41                  | Valley College           | Valley College - Academic Complex, Phase 1                         | Charles Perkins Builders                   | 35% | 34802       | 51.92% | 1,528  | 2  | 0.13% | 43  | 0 | 0  | 0.00% | 0.00% | 2.81%  | 468   | 2  | 9   | 0.13% | 0.99%  | 51.92% | 986   | 63.18% | 1,083 | 71.48%  |
| 42                  | Southwest College        | Southwest College - Student Union                                  | W.E. O'Neil Construction Co. of California | 35% | 36048       | 50.92% | 1,883  | 4  | 0.37% | 51  | 0 | 0  | 0.00% | 0.00% | 4.71%  | 335   | 4  | 6   | 0.39% | 0.99%  | 50.92% | 691   | 63.80% | 799   | 73.78%  |
| 43                  | Valley College           | Valley - Academic and Cultural Center (Complex) Project            | S.J. Amores Construction Co., Inc.         | 35% | 36237       | 50.46% | 433    | 0  | 0.00% | 10  | 0 | 0  | 0.00% | 0.00% | 2.31%  | 132   | 0  | 2   | 0.00% | 0.40%  | 50.46% | 281   | 64.80% | 324   | 74.80%  |
| 44                  | City College             | City - Health, Fitness, PE Building, DBA Certification - JOC       | GME Engineering, Inc.                      | 35% | 1692-039CJ  | 50.92% | 10     | 0  | 0.00% | 0   | 0 | 0  | 0.00% | 0.00% | 0.00%  | 3     | 0  | 2   | 0.00% | 39.00% | 50.92% | 3     | 30.00% | 0     | 30.00%  |
| 45                  | East Los Angeles College | East LA College - South Gate Educational Center Project - Barnards | Barnards Bco., Inc. - TEST CONTRACTOR 3    | 35% | 34125       | 49.86% | 621    | 3  | 0.36% | 87  | 0 | 3  | 0.00% | 0.36% | 10.47% | 249   | 3  | 15  | 0.36% | 1.81%  | 49.86% | 478   | 57.52% | 575   | 68.90%  |
| 46                  | Harbor College           | Harbor - Southwest Hall  | W.E. O'Neil Construction Co. of California | 35% | 36059       | 50.91% | 1,254  | 9  | 0.72% | 88  | 1 | 0  | 0.08% | 0.00% | 7.02%  | 370   | 9  | 2   | 0.72% | 0.18%  | 50.91% | 749   | 59.72% | 900   | 71.77%  |
| 47                  | City College             | City - Student Union Cafeteria Bulldoz                             | PCL Construction Services, Inc.            | 35% | 36217       | 50.63% | 248    | 1  | 0.40% | 5   | 0 | 0  | 0.00% | 0.00% | 2.02%  | 71    | 1  | 0   | 0.40% | 0.00%  | 50.63% | 143   | 57.68% | 161   | 64.92%  |
| 48                  | Pierce College           | Pierce - Child Development Academic Facility                       | Suffolk Construction Company Inc.          | 35% | 36084       | 50.41% | 535    | 5  | 0.93% | 30  | 0 | 0  | 0.00% | 0.00% | 3.74%  | 152   | 5  | 2   | 0.93% | 0.37%  | 50.41% | 290   | 54.21% | 369   | 67.10%  |
| 49                  | West Los Angeles College | West - New Plant Facilities and Physical Plant Shops (34205)       | Iron West, Inc.                            | 35% | 34205       | 50.92% | 52     | 0  | 0.00% | 0   | 0 | 0  | 0.00% | 0.00% | 0.00%  | 14    | 0  | 2   | 0.00% | 3.89%  | 50.92% | 29    | 55.71% | 34    | 65.38%  |
| 50                  | Southwest College        | Southwest - SW - Electrical & Football Bleachers                   | Reyes Construction                         | 35% | 34170       | 55.33% | 75     | 1  | 1.33% | 2   | 0 | 0  | 0.00% | 0.00% | 2.67%  | 19    | 1  | 0   | 1.33% | 0.00%  | 55.33% | 39    | 52.00% | 48    | 64.00%  |
| 51                  | Los Angeles Trade Tech   | Trade - Boiler Removal - Elevators                                 | Arner Construction Development Inc.        | 35% | 1522-0173   | 50.93% | 9      | 0  | 0.00% | 1   | 0 | 0  | 0.00% | 0.00% | 12.50% | 2     | 0  | 0   | 0.00% | 0.00%  | 50.93% | 0     | 75.00% | 0     | 75.00%  |
| 52                  | Southwest College        | Southwest - SW - East Campus, MGO, Elevator Areas                  | Reyes Construction                         | 35% | 34162       | 51.79% | 87     | 1  | 1.19% | 0   | 0 | 0  | 0.00% | 0.00% | 0.00%  | 12    | 1  | 0   | 1.19% | 0.00%  | 51.79% | 39    | 44.82% | 48    | 55.17%  |
| 53                  | Southwest College        | Southwest College - Central Plant Improvements Phase 2 (Boilers)   | ACCQ Engineered Systems                    | 35% | 1675-022-A0 | 4.90%  | 1      | 0  | 0.00% | 0   | 0 | 0  | 0.00% | 0.00% | 0.00%  | 0     | 0  | 0   | 0.00% | 0.00%  | 4.90%  | 0     | 0.00%  | 0     | 0.00%   |
| 54                  | West Los Angeles College | West - Football Field Storm Water Impoundment                      | Apillar &arry, Calderon Corporation        | 35% | 1780-049F5  | 0.00%  | 1      | 0  | 0.00% | 0   | 0 | 0  | 0.00% | 0.00% | 0.00%  | 0     | 0  | 0   | 0.00% | 0.00%  | 0.00%  | 0     | 0.00%  | 1     | 100.00% |
| 55                  | West Los Angeles College | West - Northwest Area Storm Water Impoundment                      | Apillar &arry, Calderon Corporation        | 35% | 1780-059F5  | 0.00%  | 1      | 0  | 0.00% | 0   | 0 | 0  | 0.00% | 0.00% | 0.00%  | 0     | 0  | 0   | 0.00% | 0.00%  | 0.00%  | 0     | 0.00%  | 1     | 100.00% |
| Project Grand Total |                          |  |  |     |             | 35.50% | 12,088 | 29 | 0.24% | 620 | 1 | 10 | 0.01% | 0.08% | 5.13%  | 4,292 | 29 | 141 | 0.24% | 1.17%  | 35.50% | 7,843 | 64.88% | 8,937 | 73.93%  |