

Local Worker Hiring Performance by PLA Covered Active Project

| Total % Local Workers Key | |
|---------------------------|---------------------------|
| Green | meets or exceeds 35% goal |
| Yellow | within 5% of 35% goal |
| Red | not meeting 35% goal |

| Rank | Campus | Project Name | Prime Contractor | Contract Provisions | Contract Number | Local Workers % | Veterans | | | | | Local to College | | | | | Local to District | | | | | Local to LA County | | | | Local to LA County + DC | | | | | |
|------|------------------------|--|--|---------------------|------------------|-----------------|------------------------------|---------------------|---------------------|---------------|---------------|--------------------------|------------|----------------------|----------------|---------------|-------------------|--------------------------|------------|----------------------|----------------|--------------------|---------------|--------------------------|------------|-------------------------|----------------|--------------------|--------------------|--------------------|--------------------|
| | | | | | | | Total # of Workers on Campus | Total # of Veterans | Total % of Veterans | # of Veterans | # of Veterans | # of Transferred Workers | Veterans % | Transferred Worker % | Local Worker % | # of Veterans | # of Veterans | # of Transferred Workers | Veterans % | Transferred Worker % | Local Worker % | # of Veterans | # of Veterans | # of Transferred Workers | Veterans % | Transferred Worker % | Local Worker % | Total # of Workers | % of Project Total | Total # of Workers | % of Project Total |
| 1 | City College | City - Ventura Road - Veterans Enhancement | Veteran Group LLC | 35% | C10-001-100-001 | 100.00% | 2 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 2 | 0 | 0 | 0.00% | 0.00% | 0.00% | 2 | 0 | 0 | 0.00% | 0.00% | 0.00% | 2 | 100.00% | 2 | 100.00% |
| 2 | San Jose College | Harbor - Construction of Science Program (SJC) - Improvement | Miller Construction, Inc. | 35% | 3455 | 11.11% | 7 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 7 | 0 | 0 | 0.00% | 0.00% | 0.00% | 7 | 0 | 0 | 0.00% | 0.00% | 0.00% | 7 | 100.00% | 7 | 100.00% |
| 3 | San Jose College | East - TRAC 1 Parking Structure | Yates Construction | 35% | 049-025 | 10.00% | 38 | 0 | 0.00% | 11 | 0 | 0 | 0.00% | 0.00% | 0.00% | 38 | 0 | 0 | 0.00% | 0.00% | 0.00% | 38 | 0 | 0 | 0.00% | 0.00% | 0.00% | 38 | 100.00% | 38 | 100.00% |
| 4 | San Jose College | Harbor - Construction of Science Program (SJC) - Improvement | WE of New Construction Co. of California | 35% | 3455 | 0.00% | 0 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% |
| 5 | City College | City - Chemistry Building - Student Lounge | GMF Engineering, Inc. | 35% | LACCD-100-010-00 | 10.00% | 33 | 0 | 0.00% | 2 | 0 | 0 | 0.00% | 0.00% | 0.00% | 33 | 0 | 0 | 0.00% | 0.00% | 0.00% | 33 | 0 | 0 | 0.00% | 0.00% | 0.00% | 33 | 100.00% | 33 | 100.00% |
| 6 | Palomar College | Alhambra/Redlands - Air Station of California | Artemis Group | 35% | 3455 | 10.00% | 211 | 0 | 0.00% | 17 | 0 | 0 | 0.00% | 0.00% | 0.00% | 211 | 0 | 0 | 0.00% | 0.00% | 0.00% | 211 | 0 | 0 | 0.00% | 0.00% | 0.00% | 211 | 100.00% | 211 | 100.00% |
| 7 | Palomar College | Redlands Campus - Water Meter Replacement | GMF Engineering, Inc. | 35% | 1445-1000 | 10.00% | 35 | 0 | 0.00% | 1 | 0 | 0 | 0.00% | 0.00% | 0.00% | 35 | 0 | 0 | 0.00% | 0.00% | 0.00% | 35 | 0 | 0 | 0.00% | 0.00% | 0.00% | 35 | 100.00% | 35 | 100.00% |
| 8 | San Jose College | West - TPA - Physical Education Complex - Student Replacement | TED, Inc. | 35% | 1445-0100 | 10.00% | 35 | 0 | 0.00% | 3 | 0 | 0 | 0.00% | 0.00% | 0.00% | 35 | 0 | 0 | 0.00% | 0.00% | 0.00% | 35 | 0 | 0 | 0.00% | 0.00% | 0.00% | 35 | 100.00% | 35 | 100.00% |
| 9 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 10 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 11 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 12 | Los Angeles Trade Tech | Trade - Theater - Development, New/Alter North Hall - Major Renovation and Modernization/Upgrade - New Stage and Stagecraft Shop | Sevenson Builders | 35% | 3455 | 10.00% | 207 | 0 | 0.00% | 21 | 0 | 0 | 0.00% | 0.00% | 0.00% | 207 | 0 | 0 | 0.00% | 0.00% | 0.00% | 207 | 0 | 0 | 0.00% | 0.00% | 0.00% | 207 | 100.00% | 207 | 100.00% |
| 13 | Palomar College | Palomar College - SJC Center for the Science Technology Upgrade | Marine Contracting Corp. | 35% | 1028 | 10.00% | 114 | 0 | 0.00% | 6 | 0 | 0 | 0.00% | 0.00% | 0.00% | 114 | 0 | 0 | 0.00% | 0.00% | 0.00% | 114 | 0 | 0 | 0.00% | 0.00% | 0.00% | 114 | 100.00% | 114 | 100.00% |
| 14 | San Jose College | Trade - New Construction - 100,000 sq ft of new building | Artemis Construction Development Inc. | 35% | 020-002 | 10.00% | 50 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 50 | 0 | 0 | 0.00% | 0.00% | 0.00% | 50 | 0 | 0 | 0.00% | 0.00% | 0.00% | 50 | 100.00% | 50 | 100.00% |
| 15 | San Jose College | Trade - Harbor - New Building - Upgrade | Artemis Group | 35% | 1445-0102 | 10.00% | 27 | 0 | 0.00% | 2 | 0 | 0 | 0.00% | 0.00% | 0.00% | 27 | 0 | 0 | 0.00% | 0.00% | 0.00% | 27 | 0 | 0 | 0.00% | 0.00% | 0.00% | 27 | 100.00% | 27 | 100.00% |
| 16 | San Jose College | East - TRAC 1 Parking Structure | Yates Construction | 35% | 049-025 | 10.00% | 38 | 0 | 0.00% | 11 | 0 | 0 | 0.00% | 0.00% | 0.00% | 38 | 0 | 0 | 0.00% | 0.00% | 0.00% | 38 | 0 | 0 | 0.00% | 0.00% | 0.00% | 38 | 100.00% | 38 | 100.00% |
| 17 | San Jose College | Harbor - Construction of Science Program (SJC) - Improvement | WE of New Construction Co. of California | 35% | 3455 | 0.00% | 0 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% |
| 18 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 19 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 20 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 21 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 22 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 23 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 24 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 25 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 26 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 27 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 28 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 29 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 30 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 31 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 32 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 33 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 34 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 35 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 36 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 37 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 38 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 39 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 40 | Palomar College | Palomar College - Fire Alarm System Upgrade for Bldg. 100 (Bldg. 100) | World-Wide Construction | 35% | 1445-0102 | 10.00% | 122 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 0 | 0 | 0.00% | 0.00% | 0.00% | 122 | 100.00% | 122 | 100.00% |
| 41 | City College | City - Ventura Road - Veterans Enhancement | Veteran Group LLC | 35% | C10-001-100-001 | 100.00% | 2 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 2 | 0 | 0 | 0.00% | 0.00% | 0.00% | 2 | 0 | 0 | 0.00% | 0.00% | 0.00% | 2 | 100.00% | 2 | 100.00% |
| 42 | San Jose College | Harbor - Construction of Science Program (SJC) - Improvement | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |